

JOINT INSTITUTE FOR ADVANCEMENT OF FLIGHT SCIENCES

Program of Research in Flight Dynamics in the
JIAFS at NASA Langley Research Center

NASA Cooperative Agreement NCC1-29

Summary of Research Report

December 1, 1979 - November 30, 1998

School of Engineering and Applied Science
The George Washington University
Washington, D.C. 20052

OVERVIEW

The program objectives were defined in the original proposal entitled “Program of Research in Flight Dynamics in the JIAFS at NASA Langley Research Center” which was originated March 20, 1975, and in yearly renewals of the research program dated December 1, 1979 to December 1, 1998.

The program included three major topics:

- 1) Improvement of existing methods and development of new methods for flight and wind tunnel data analysis based on system identification methodology.
- 2) Application of these methods to flight and wind tunnel data obtained from advanced aircraft.
- 3) Modeling and control of aircraft, space structures and spacecraft.

The principal investigator of the program was Dr. Vladislav Klein, Professor at The George Washington University, Washington, D.C.. Thirty-seven Graduate Research Scholar Assistants, two of them doctoral students, also participated in the program. The results of the research conducted during nineteen years of the total co-operative period were published in 23 NASA technical reports, 2 D.Sc. Dissertations, 14 M.S. Theses and 33 papers. The list of these publications is included. The results were also reported in more than 30 seminar lectures presented at various research establishments world-wide.

For contributions to the research supported by the co-operative agreement, three NASA Awards were received:

- 1) NASA LaRC Group Achievement Award, May 30, 1990, to Dr. V. Klein as a member of the X-29 Drop Model Team.

- 2) NASA Medal for Exceptional Engineering Achievement, March 27, 1992, to Dr. V. Klein for innovative contributions in the development of advanced techniques and computer programs in the field of system identification.
- 3) NASA LaRC Team Excellence Award, May 7, 1994, to Dr. V. Klein as a member of the X-31 Drop Model Team.

SIGNIFICANT ACCOMPLISHMENTS

Significant accomplishments were achieved in the research on system identification methodology and its application for advanced, high performance aircraft. Based on the urgent need of the Langley Stall-Spin Research Program to have mathematical models of aircraft at high angles of attack, an algorithm was developed for determination of a structure for aerodynamic model equations and estimation of their parameters from flight test data (ref. 1.2, 3.4, 3.5 and 3.7). The algorithm was based on a stepwise regression and several statistical criteria that select the “best” model. The aerodynamic forces and moments were modeled either by polynomials or polynomial splines (ref. 1.3). The method was first applied to various general aviation aircraft (ref. 1.6 and 3.6). Because the algorithm has the advantage of being stable for either stable or unstable dynamical systems, it was later successfully applied to the high angle of attack data of several inherently unstable flight vehicles including Royal Aircraft Establishment (RAE) High Incidence Research Model (ref. 1.13, 3.16 and 3.18), X-29 and X-31 research aircraft (ref. 1.16, 2.9, 3.26 and 3.31). The model structure determination technique and the resulting computer software were adopted by several aerospace laboratories and companies worldwide.

An additional problem surfaced in attempting to analyze data from highly augmented aircraft in both linear and nonlinear regions. The various control surfaces were often highly

correlated in their time histories by the onboard control laws. This led to difficulties in establishing the effects on individual control surfaces and sometimes in ill-conditioning of the entire problem. This obstacle was approached through the study of various methods for collinearity diagnostics and biased estimators, and incorporated those into the regression program (ref 1.9, 3.14, 3.22 and 3.25).

To improve the accuracy of measured flight data a data consistency analysis was developed. This technique reconstructs the flight path and, at the same time, estimates bias errors in the measured data (ref. 1.8 and 3.1). Then the corrected data are used in the main part of the system identification methodology, i.e. state and parameter estimation. Attention was also given to obtaining better information about the accuracy of estimated parameters. An algorithm for the parameter confidence interval determination of maximum likelihood estimates was developed (ref. 2.2 and 3.11). Also an algorithm for estimation of the parameter covariance matrix that accounts for colored residuals resulted in consistently accurate measures of the scatter in the parameter estimates (ref. 1.21 and 3.30).

The ever increasing problems in identification caused by insufficient excitation of transient motion, and correlated inputs and outputs led to a study of practical and optimal input form that would maximize the information matrix and be flyable by a human pilot or computer based input command system (ref. 2.6, 2.8 and 3.23).

An additional approach to aerodynamic parameter estimation was formulated in the frequency domain using the maximum likelihood method (ref. 1.1). The application of this method resulted in estimates which compared favorably in the linear region with those obtained in time domain analysis. The computer program or algorithm has been in wide use for helicopter parameter estimation since the time of method development. The frequency domain analysis

was also successfully used in estimating parameters of the inherently unstable X-29 aircraft (ref. 2.3) and handling qualities criteria of the supersonic Tu-144 aircraft (ref. 2.16).

An outline of system identification methodology applied to aircraft which was developed under the co-operative agreement and close cooperation with NASA LaRC researchers is given in ref. 3.21, 3.27 and 3.33.

During the last four years of the co-operative agreement the attention was focused on modeling and identification of linear and nonlinear unsteady aerodynamics. The measured data for identification were obtained from wind tunnel experiments during which the test model was subjected to either one-degree oscillatory motion about one of its body axes or motion excited by ramp input. The aerodynamic models were formulated in terms of indicial functions (ref. 1.17, 1.19 and 1.20). The form of these functions were selected either as simple exponential functions (linear case) or as exponential functions with terms dependent on the angle of attack (nonlinear case). The parameters in postulated models were estimated by methods based on the least squares and maximum likelihood principles. The identified models fit the experimental data well and were also good predictors (ref. 1.22 and 1.23).

PUBLICATIONS

Technical Reports

- 1.1 Klein, Vladislav: Maximum Likelihood Method for Estimating Airplane Stability and Control Parameters From Flight Data in Frequency Domain. NASA TP 1637, 1980.
- 1.2 Klein, Vladislav; Batterson, James G. and Murphy, Patrick C.: Determination of Airplane Model Structure From Flight Data by Using Modified Stepwise Regression. NASA TP 1916, 1981.
- 1.3 Klein, Vladislav and Batterson, James G.: Determination of Airplane Model Structure From Flight Data Using Splines and Stepwise Regression. NASA TP 2126, 1983.
- 1.4 Abbasy, Imram: Determination of Stability and Control Parameters of a General Aviation Airplane From Flight Data. NASA TM 84635, 1983.
- 1.5 Klein, Vladislav and Batterson, James G.: Aerodynamic Characteristics of a Fighter Airplane Determined From Flight and Wind Tunnel Data. NASA TP 2483, 1985.
- 1.6 Hess, Robert A.: Effect of Wing Modification on an Aircraft's Aerodynamic Parameters as Determined From Flight Data. NASA TM 87591, 1986.
- 1.7 Batterson, James G. and Klein, Vladislav: Analysis of Flight Data From a Highly Augmented High-Speed Aircraft. NASA TP 2651, 1986.
- 1.8 Klein, Vladislav and Morgan, Dan R.: Estimation of Bias Errors Using Maximum Likelihood Method. NASA TM 89059, 1986.
- 1.9 Klein, Vladislav: Two Biased Estimation Techniques in Linear Regression - Application to Aircraft. NASA TM 100649, 1988.
- 1.10 Klein, Vladislav: Longitudinal Aerodynamic Parameters of a Forward-Swept Wing Aircraft Determined From Flight Data by Using Unbiased and Biased Estimation Techniques. NASA TM 100570, 1988.
- 1.11 Klein, Vladislav: Aerodynamic Parameters of a Forward-Swept Wing Aircraft Determined From Flight Data with Computer Generated Inputs. NASA TM 101589, 1989.
- 1.12 Batterson, James G. and O'Mara, Thomas M.: Estimation of Longitudinal Stability and Control Derivatives for an Icing Research Aircraft From Flight Data. NASA TM 4099, 1989.
- 1.13 Batterson, James G. and Klein, Vladislav: Analysis of Flight Data From a High-Incidence Research Model by System Identification Methods. NASA TP 2940, 1989.

- 1.14 Klein, Vladislav; Breneman, Kevin P. and Ratvasky, Thomas P.: Aerodynamic Parameters of an Advanced Fighter Aircraft Estimated From Flight Data. Preliminary Results. NASA TM 101631, 1989.
- 1.15 Klein, Vladislav; Ratvasky, Thomas P. and Cobleigh, Brent R.: Aerodynamic Parameters of High-Angle-of-Attack Research Vehicle (HARV) Estimated From Flight Data. NASA TM 102692, 1990.
- 1.16 Klein, Vladislav; Cobleigh, Brent R. and Noderer, Keith D.: Lateral Aerodynamic Parameters of the X-29 Aircraft Estimated From Flight Data at Moderate to High Angles of Attack. NASA TM 104155, 1991.
- 1.17 Klein, Vladislav and Noderer, Keith D.: Modeling of Aircraft Unsteady Aerodynamic Characteristics. Part 1 - Postulated Models, NASA TM 109120, 1994.
- 1.18 Sotack, Robert A.; Chowdhry, Rajiv S. and Butrill, Carey S.: High Speed Civil Aircraft Simulation: Reference-H Cycle 1-MATLAB Implementation. NASA CDTM-10007, 1996.
- 1.19 Klein, Vladislav and Noderer, Keith D.: Modeling of Aircraft Unsteady Aerodynamic Characteristics. Part 2 - Parameters Estimated From Wind Tunnel Data. NASA TM 110161, 1995.
- 1.20 Klein, Vladislav and Noderer, Keith D.: Modeling of Aircraft Unsteady Aerodynamic Characteristics. Part 3 - Parameters Estimated From Flight Data. NASA TM 110259, 1996.
- 1.21 Morelli, E.A. and Klein, V.: Determination of Accuracy of Maximum Likelihood Parameter Estimates with Colored Residuals. NASA CR 194893, 1994.
- 1.22 Klein, Vladislav; Murphy, Patrick C.; Curry, Timothy J. and Brandon, Jay M.: Analysis of Wind Tunnel Longitudinal Static and Oscillatory Data of the F-16XL Aircraft. NASA TM-97-206276, 1997.
- 1.23 Klein, Vladislav and Murphy, Patrick C.: Estimation of Aircraft Nonlinear Unsteady Parameters From Wind Tunnel Data. NASA TM-1998-208969, 1998.

Dissertations and Theses submitted to The George Washington University, School of Engineering and Applied Science, Washington, D.C.

- 2.1 Simons, James S.: The Use of Laterally Vectored Thrust to Counter Thrust Asymmetry in a Tactical Jet Aircraft. M.S. Thesis, 1982.
- 2.2 Murphy, Patrick C.: An Algorithm for Efficient Maximum Likelihood Estimation and Confidence Interval Determination in Nonlinear Estimation Problems. D.Sc. Dissertation, 1985.
- 2.3 Queen, Erick M.: Analysis of Flight Data of a Highly Augmented, Unstable Aircraft Using the Frequency Domain. M.S. Thesis, 1987.
- 2.4 O'Mara, Thomas M.: Analysis of Icing Flight Research Data Using System Identification Methodology. M.S. Thesis, 1988.
- 2.5 Breneman, Kevin P.: Medium and High-Angle-of-Attack Aerodynamic Characteristics of an Advanced Fighter Aircraft Estimated From Flight Test Data. M.S. Thesis, 1988.
- 2.6 Morelli, Eugene A.: Practical Input Optimization for Aircraft Parameter Experiment. D.Sc. Dissertation, 1990.
- 2.7 Ratvasky, Thomas P.: An Analysis of Air Data Instrumentation System Errors For the High-Angle-of-Attack Research Vehicle (HARV). M.S. Thesis, 1990.
- 2.8 Cobleigh, Brent R.: Design of Optimal Inputs For Parameter Estimation Flight Experiments with Application to the X-31 Drop Model. M.S. Thesis, 1991.
- 2.9 Noderer, Keith D.: Aerodynamic Parameters of the X-31 Drop Model Estimated From Flight Data at High Angles of Attack. M.S. Thesis, 1992.
- 2.10 Iannacci, V.N.: A Comparison of Three Methods For Choosing Closed Loop Eigenvector Used in the Eigenspace Assignment Flight Control Law Synthesis Procedure. M.S. Thesis, 1992.
- 2.11 Kokolios, A.: X-31 Lateral Aerodynamic Characteristics Determined From Flight Data by Two Estimation Techniques. M.S. Thesis, 1993.
- 2.12 Johnson, Erick N.: Predicting the Effect of Unmodeled Dynamics on an Eigenspace Assignment Aircraft Control System Design. M.S. Thesis, 1993.
- 2.13 Cavanaugh, M.D.: Initial Flight Path Angle Determination of a Lunar-Return Aerobrake Mission Using Optimal Control Theory. M.S. Thesis, 1993.
- 2.14 Taft, B.D.: Open-and Closed-Loop Transfer Function Identification From Flight Test Data. M.S. Thesis, 1994.

- 2.15 Nguyen, L.V.: Identification of Longitudinal Aerodynamic and Handling Qualities Parameters of the X-31A Aircraft From Flight Test Data. M.S. Thesis, 1996.

Papers

- 3.1 Keskar, D.A. and Klein, V.: Determination of Instrumentation Errors From Measured Data Using Maximum Likelihood Method. AIAA Paper 80-1602, 1980.
- 3.2 Taylor, Lawrence W., Jr. and Klein, Vladislav: Analytical Techniques For the Analysis of Stall/Spin Flight Test Data. SAE Business Aircraft Meeting and Exposition, Wichita, KS, April 7-10, 1981.
- 3.3 Klein, V. and Wells, W.R.: Aircraft Parameter Estimation. National Aerospace and Electronics Conference, Dayton, OH, May 19-21, 1981.
- 3.4 Klein, V.; Batterson, J.G. and Murphy, P.C.: Determination of Model Structure Parameters of an Airplane From Pre-and Post-Stall Flight Data. AIAA Paper 81-1866, 1981.
- 3.5 Klein, V.; Batterson, J.G. and Smith, P.L.: On the Determination of Airplane Model Structure From Flight Data. 6th IFAC Symposium on Identification and System Parameter Estimation, Washington, DC, June 7-11, 1982.
- 3.6 Wells, W.R. and Klein, V.: Parameter Estimation Applied to General Aviation Aircraft. A Case Study. AIAA Paper 82-1313, 1982.
- 3.7 Klein, V. and Batterson, J.G.: Determination of Airplane Aerodynamic Parameters From Flight Data at High Angles of Attack. 13th Congress of ICAS, Seattle, WA, August 22-27, 1982.
- 3.8 Batterson, J.G. and Klein, V.: An Application of Parameter Identification to the Oscillatory Motion of an Airplane at High C_L . AIAA Paper 83-2067, 1983.
- 3.9 Klein, V.; Abbasy, I. and Batterson, J.G.: Determination of Aerodynamic Parameters of a Fighter Airplane From Flight Data at High Angles of Attack. AIAA Paper 83-2066, 1983.
- 3.10 Batterson, J.G. and Klein, V.: A Preliminary Analysis of Flight Data From the AFTI/F-16 Airplane. AIAA Paper 84-2085, 1984.

- 3.11 Murphy, P.C. and Klein, V.: Maximum Likelihood Algorithm Using an Efficient Scheme For Computing Sensitivities and Parameter Confidence Interval. AIAA Paper 84-2084, 1984.
- 3.12 Klein, V. and Batterson, J.G.: Estimated Low-Speed Aerodynamic Parameters of an Advanced Fighter From Flight and Wind Tunnel Data. 14th ICAS Congress, Toulouse, France, Sept. 9-14, 1984.
- 3.13 Keskar, D.A.; Klein, V. and Batterson, J.G.: Estimation of Transport Airplane Aerodynamics Using Multiple Stepwise Regression. ACC Conference, Boston, MA, May 18-20, 1985.
- 3.14 Batterson, J.G. and Klein, V.: On the Identification of a Highly Augmented Airplane. 7th IFAC Symposium on Identification and Parameter Estimation, York, England, July 2-8, 1985.
- 3.15 Klein, V. and Batterson, J.G.: Aerodynamic Parameters Estimated From Flight and Wind Tunnel Data. Journal of Aircraft, Vol. 23, No. 4, April, 1986, pp. 306-312.
- 3.16 Klein, V. and Mayo, M.H.: Estimation of Aerodynamic Parameters From Flight Data of a High Incidence Research Model. 15th Congress of ICAS, London, England, Sept. 1986.
- 3.17 Taylor, L.W., Jr.; Leary, T.A. and Stewart, E.J.: On incorporating Damping and Gravity Effects in Model of Structural Dynamics of the SCOLE Configuration. 3rd Annual NASASCOLE Workshop, Nov. 17-18, 1986.
- 3.18 Ross, A.J.; Edward, G.F.; Klein, V. and Batterson, J.G.: Validation of Aerodynamic Parameters at High Angles of Attack For the RAE High Incidence Research Models. AIAA Paper 87-2558, 1987.
- 3.19 Batterson, J.G. and Klein, V.: Partitioning of Flight Data For Aerodynamic Modeling of Aircraft at High Angles of Attack. AIAA Paper 87-2621, 1987.
- 3.20 Klein, V. and Batterson, J.G.: Determination of Aircraft Parameters From High Angle of Attack Maneuvers. Workshop on Modeling Aircraft Dynamics. NASA Ames Research Center, Moffett Field, CA, August 20-21, 1987.
- 3.21 Klein, Vladislav: Estimation of Aircraft Aerodynamic Parameters From Flight Data. Progress in Aerospace Sci, Vol. 26, pp. 1-77, 1989.
- 3.22 Klein, Vladislav: On Parameter Estimation of Highly Augmented Aircraft. AIAA Paper 89-3356, 1989.
- 3.23 Morelli, E.A. and Klein, V.: Optimal Input Design For Aircraft Parameter Estimation Using Dynamic Programming Principles. AIAA Paper, 90-2801, 1990.

- 3.24 Klein, V.: Aerodynamic Characteristics of High-Angle-of-Attack Research Vehicle (HARV) Determined From Flight Data. NASA High-Angle-of-Attack Technology Conference, October 30 - November 1, 1990.
- 3.25 Klein, V. and Morelli, E.A.: Parameter Estimation of a Highly Augmented Aircraft From Flight Data. 9th IFAC/IFORS Symposium on Identification and Parameter Estimation, Budapest, Hungary, July 8-12, 1991.
- 3.26 Klein, V. and Noderer, K.D.: Aerodynamic Parameters of the X-31 Drop Model Estimated From Flight Data at High Angles of Attack. AIAA Paper 92-4357, 1992.
- 3.27 Klein, V.: Application of System Identification of High Performance Aircraft. 32nd IEEE Conference on Decision and Control, pp. 2253-2259, Dec. 15-17, 1993.
- 3.28 Pearson, A.E. and Klein, V.: Application of Fourier Modulating Functions to Parameter Estimation of a Multivariable Linear Differential System. 10th IFAC Symposium on System Identification, Vol. 3, pp. 49-54, July 1994.
- 3.29 Skantze, F.P.; Pearson, A.E. and Klein, V.: Parameter Identification for Unsteady Aerodynamic Systems by the Modulating Function Technique. 10th IFAC Symposium on System Identification, Vol. 1, pp. 571-576, July 1994.
- 3.30 Morelli, E.A. and Klein, V.: Determining the Accuracy of Aerodynamic Model Parameters Estimated From Flight Test Data. AIAA Paper 95-3499, 1995.
- 3.31 Klein, V. and Nguyen, L.V.: Aerodynamic and Thrust Vectoring Parameters of the X-31A Aircraft Estimated From Flight Data at Moderate to High Angles of Attack. High-Angle-of-Attack Technology Conference, NASA LaRC, Sept. 17-19, 1996.
- 3.32 Klein, V.: Unsteady Aerodynamic Parameters Estimated From Wind Tunnel Oscillatory Data. High-Angle-of-Attack Technology Conference, NASA LaRC, Sept. 17-19, 1996.
- 3.33 Klein, V. and Murphy, P.C.: Aerodynamic Parameters of High Performance Aircraft Estimated From Wind and Flight Test Data. NATO Research and Technology Agency Symposium on "System Identification for Integrated Aircraft Development and Flight Testing". Madrid, Spain, May 5-7, 1998.